



Web Results 1 - 10 of about 131,000 for network interface card protocol stack debug kernel. (0.37 seconds)

Network Driver Interface Specification (NDIS) in Microsoft Windows ...

NDIS describes the **interface** by which one or more **Network Interface Card** ...

The IrDA **protocol stack** may only bind to one built-in Miniport driver instance. ...

msdn.microsoft.com/library/en-us/dnce30/html/ndis30.asp - 48k - [Cached](#) - [Similar pages](#)

Windows 2000 Kernel Debugging

... only involve writing device drivers for **Network Interface Card** (NIC) hardware

... NDIS **Kernel Debugger** Extension; NDIS Verifier; **Debugging** NDIS Drivers ...

www.codemachine.com/NDISTDIDrivers.htm - 37k - [Cached](#) - [Similar pages](#)

[PPT] WPI CS 502 Spring 2005

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

Kernel. Transport Layer. Data Layer. Security. **Network**. **Interface**. NIC. Hardware

... Topic 7 – **Network**. Linux **Kernel** (2.4). **Protocol Stack** (cont) ...

www.cs.wpi.edu/~tft/courses/ spring_05/slides_ppt/networking.ppt - [Similar pages](#)

[PDF] Co-verification of vxWorks RTOS on SOC with network interface

File Format: PDF/Adobe Acrobat - [View as HTML](#)

software and hardware such as **protocol stacks** and commercial real-time operating

... DeskPOD **network interface card**. The **network** driver's purpose is to ...

www.simpod.com/registered/cover_rtos_vxworks2.pdf - [Similar pages](#)

NetWare Cluster Services: Deployment Considerations and Tuning

If **kernel debugging** is necessary, use the console CLUSTER **DEBUG** command to halt

... Check LAN driver and **protocol stack** statistics. A bad **network interface** ...

www1.us.dell.com/content/topics/global.aspx/ power/en/ps3q00_lang?c=us&l=en&s=gen - 37k -

[Cached](#) - [Similar pages](#)

David Dribin's Resume

... onto a Motorola 860-based E1 **network interface card** in a Compact PCI environment.

... Dave designed and implemented a **kernel level debugger** for the ...

www.dribin.org/dave/resume/david_dribin_resume.html - 18k - [Cached](#) - [Similar pages](#)

Introduction to Linux Networking

You can try to load all **network card** drivers with the command ... you can turn

your attention to configuring the next layer of the **protocol stack**. ...

www.lesbell.com.au/Home.nsf/0/ 7220a8796ab50bbbca256cd400045e0b?OpenDocument - 24k - Jun 8, 2005 -

[Cached](#) - [Similar pages](#)

[PDF] Maximizing Performance of a Gigabit Ethernet NIC Interface

File Format: PDF/Adobe Acrobat - [View as HTML](#)

network interface card (NIC) **interface** and a few valuable tools to help you achieve

... It is more likely that the **protocol stack** software might ...

www.filibeto.org/sun/lib/blueprints/817-6925.pdf - [Similar pages](#)

Overview of PARAM 10000

The DS-fiber **interface card**, developed by C-DAC can then be used as converter to

... This allows the standard **protocol stacks** and legacy applications to use ...

www.serc.iisc.ernet.in/facilities/ systems/param_overview.html - 23k - [Cached](#) - [Similar pages](#)

Inner Workings of WANPIPE

Management/debugging interface calls are user datagram protocol (UDP) based and OS ... enabling the Linux kernel stack, via the network interface, ...
portal.acm.org/ft_gateway.cfm?id=364721&type=html - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: ☒ emails - ☐ files - ☐ chats - ☐ web history - ☐ media - ☐ PDF

network interface card protocol stack

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"5630049".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 17:10
S1	35	(US-6658600-\$ or US-5978902-\$ or US-5889988-\$ or US-4993027-\$ or US-5630049-\$ or US-6694510-\$ or US-6601184-\$ or US-6370660-\$ or US-5909544-\$ or US-6158045-\$ or US-5911059-\$ or US-6324683-\$ or US-6411616-\$ or US-6131163-\$ or US-6118768-\$ or US-6052803-\$ or US-5935262-\$ or US-5537550-\$ or US-6404861-\$ or US-6334153-\$ or US-5867714-\$ or US-5611044-\$ or US-6209089-\$ or US-6675218-\$ or US-5721876-\$ or US-6243753-\$).did. or (US-20030005417-\$ or US-20020156613-\$ or US-20040064764-\$ or US-20020152305-\$ or US-20020133593-\$ or US-20020194389-\$ or US-20020019891-\$ or US-20020174227-\$).did. or (US-4993027-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/06/17 09:41
S2	6	S1 and "shared memory"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 09:05
S3	12152	((717/124,135,172) or (714/4,25,29,38,47,49) or (713/201,208) or (709/208,224,226) or (712/227)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/17 09:43
S4	58	(@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:45
S5	31	((@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel)) and (protocol adj stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:47

S6	1	(((@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel)) and (protocol adj stack)) and (kernel near8 debug\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:08
S7	32	(kernel near8 debug\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:47
S8	1	((((kernel near8 debug\$5).ab.) and (@ad<="20010703" or @rlad<="20010703")) and ((@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (debug\$5 same kernel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 11:48
S9	29	((kernel near8 debug\$5).ab.) and (@ad<="20010703" or @rlad<="20010703")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:53
S10	29	((kernel near8 debug\$5).ab.) and (@ad<="20010703" or @rlad<="20010703")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 13:53
S11	6	((((kernel near8 debug\$5).ab.) and (@ad<="20010703" or @rlad<="20010703")) and (message or ((transport or transmi\$5) near8 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:00
S12	31	"4993027".URPN.	USPAT	OR	ON	2004/06/14 13:59
S13	33	(interface adj3 card) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:23
S14	3114	(@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (host same (traffic or message or packet or communic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:00

S15	3	((interface adj3 card) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)) and ((@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (host same (traffic or message or packet or communic\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:39
S16	1	((interface adj3 card) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)) and (((kernel near8 debug\$5).ab.) and (@ad<="20010703" or @rlad<="20010703"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 14:39
S17	4	Lopez.in. and (debug near5 kernel).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 15:25
S18	1	Hitachi.as. and (debug near8 kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 15:59
S19	1	debug.ab. and (network same (messag\$3 or port)) and ((host and target) near8 ((communication or connecting) adj3 (interface or unit or card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:03
S20	36	"5630049".URPN.	USPAT	OR	ON	2004/06/14 16:03
S21	2	(debug\$4 or test\$4 or emulat\$4 or simulat\$4).ab. and (network same (messag\$3 or port)) and ((host and target) near8 ((communication or connecting) adj3 (interface or unit or card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:03
S22	1	"5630049".URPN. and (interface near9 (connect\$5 or unit)) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:26
S23	2	"5630049".URPN. and (interface near9 (connect\$5 or unit or module)) and ((network or message or host) same (rout\$4 or protocol or port or communicat\$5)) and ((kernal or kernel) near9 debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:39

S24	0	"6694510".URPN.	USPAT	OR	ON	2004/06/14 16:36
S25	8	("5630049" "5889988" "5956479" "6158045" "6205494" "6272499" "6370660" "6564369").PN.	USPAT	OR	ON	2004/06/14 16:36
S26	0	"4993027".URPN. and (interface near9 (connect\$5 or unit or module)) and ((network or message or host) same (rout\$4 or protocol or port or communicat\$5)) and ((kernal or kernel) near9 debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:40
S27	1	"5630049".URPN. and (((interface adj3 card) and ((message or host) same (rout\$4 or protocol or port)) and ((kernal or kernel) near9 debug\$4)) or ((@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message) adj2 (stack or queue)) and (host same (traffic or message or packet or communic\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:41
S28	4	"6094730".URPN.	USPAT	OR	ON	2004/06/14 16:47
S29	10	("5220658" "5325512" "5426759" "5463760" "5546562" "5630052" "5640542" "5802347" "5862148" "5911059").PN.	USPAT	OR	ON	2004/06/14 16:48
S30	1	((("5220658" "5325512" "5426759" "5463760" "5546562" "5630052" "5640542" "5802347" "5862148" "5911059").PN.) and kernel and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/14 16:48
S31	9	((remote near8 debug\$5).ab. or (remote near8 debug\$4).clm.) and ((network or stack or queue) near4 (protocol or message or (interface adj2 (card or unit or module)))) and ("operating system" or kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 09:39

S32	4	((remote near8 debug\$5).ab. or (remote near8 debug\$4).clm.) and ((network or stack or queue) near4 (protocol or message or (interface adj2 (card or unit or module)))) and ("operating system" or kernel)) and (@ad<="20010703" or @rlad<="20010703") not Hewlett. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:07
S33	36	"5630049".URPN.	USPAT	OR	ON	2004/06/15 09:54
S34	1	"5630049".URPN. and network and (debug near3 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 09:58
S35	152	(debug\$4 (server near3 (kernal or kernel))).clm. and ((network or TCP/IP or OSI) near2 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 09:59
S36	1	(debug\$4 near8 (server near3 (kernal or kernel))).clm. and ((network or TCP/IP or OSI) near2 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 09:59
S37	1	(debug\$4 near8 (server near3 (kernal or kernel))).clm. and ((debug\$4 (server near3 (kernal or kernel))).clm. and ((network or TCP/IP or OSI) near2 protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:00
S38	1	((debug\$4 near8 (server near3 (kernal or kernel))).clm. and ((network or TCP/IP or OSI) near2 protocol)) or ((debug\$4 near8 (server near3 (kernal or kernel))).clm. and ((debug\$4 (server near3 (kernal or kernel))).clm. and ((network or TCP/IP or OSI) near2 protocol)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:01
S39	1059	((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:49
S40	2	((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and ("717"/\$ or "714"/\$) and (debug\$5 or test\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:05

S41	514	((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and (message near5 (communicat\$6 or transmi\$6 or rout\$4 or deliver\$5)) and (protocol near2 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:50
S42	18	((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and (message near5 (communicat\$6 or transmi\$6 or rout\$4 or deliver\$5)) and (protocol near2 stack)) and (@ad<="20010703" or @rlad<="20010703") and (host near2 (server or client)) and ((troubleshoot\$4 or test\$3 or debug\$4) near2 (message or stream or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:09
S43	9	((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and (message near5 (communicat\$6 or transmi\$6 or rout\$4 or deliver\$5)) and (protocol near2 stack)) and (@ad<="20010703" or @rlad<="20010703") and (host near2 (server or client)) and ((troubleshoot\$4 or test\$3 or debug\$4) near2 (message or stream or packet))) and ((request\$3 or messag\$3) near5 (test\$4 or debug\$4 or troubleshoot\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 10:52
S44	142	((network adj interface) near2 card) same ((protocol or TCP/IP) near2 stack)) and (message near5 (communicat\$6 or transmi\$6 or rout\$4 or deliver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:43
S45	100	(remote near3 debug\$4) and (interface adj2 (card module or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:44
S46	146	(remote\$3 near3 debug\$4) and (interface adj2 (card or module or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:51

S47	39	((remote\$3 near3 debug\$4) and (interface adj2 (card or module or unit))) and (@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message or TCP/IP) adj2 (stack or queue))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:00
S48	36	((remote\$3 near3 debug\$4) and (interface adj2 (card or module or unit))) and (@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message or TCP/IP) adj2 (stack or queue))) and (network same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:46
S49	36	((remote\$3 near3 debug\$4) and (interface adj2 (card or module or unit))) and (@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message or TCP/IP) adj2 (stack or queue))) and (network same message)) not Hewlett.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:46
S50	1	((remote\$3 near3 debug\$4) and (interface adj2 (card or module or unit))) and (@ad<="20010703" or @rlad<="20010703") and ((transport or protocol or message or TCP/IP) adj2 (stack or queue))) and (network same message)) not Hewlett.as.) and ("717"/\$ or "714"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:48
S51	18	("4322813" "4339657" "4507751" "4926347" "5027154" "5049873" "5193152" "5200958" "5220674" "5270725" "5295244" "5361265" "5402361" "5414494" "5533193" "5537550" "5537626" "5638508").PN.	USPAT	OR	ON	2004/06/15 14:48
S52	1059	((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:49

S53	2	((("4322813" "4339657" "4507751" "4926347" "5027154" "5049873" "5193152" "5200958" "5220674" "5270725" "5295244" "5361265" "5402361" "5414494" "5533193" "5537550" "5537626" "5638508").PN.) and (((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 14:50
S54	26	(((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and (debug near5 (message or command or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:02
S55	10	(((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and (debug near5 (message or command or instruction))) and (@ad<="20010703" or @rlad<="20010703") and ((host or server) same debug\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:02
S56	10	(((network adj interface) near2 card) and ((OSI or protocol or TCP/IP) near2 stack)) and (debug near5 (message or command or instruction))) and (@ad<="20010703" or @rlad<="20010703") and ((host or server) same debug\$5)) not Hewlett.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:11
S57	2	"20020133593".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:50
S58	3	(debug near8 kernel) and (interface adj2 card) and message and (network or TCP/IP or protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:02
S59	3	((debug near8 kernel) and (interface adj2 card) and message and (network or TCP/IP or protocol)) not Hewlett.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:03

S60	3	(debug near8 kernel) and (interface adj2 card) and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:35
S61	15	(debug\$5 near8 kernel) and (interface adj2 card) and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:02
S62	10	((debug\$5 near8 kernel) and (interface adj2 card) and message) and (@ad<="20010703" or @rlad<="20010703") not ((debug near8 kernel) and (interface adj2 card) and message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:03
S63	9	((debug\$5 near8 kernel) and (interface adj2 card) and message) and (@ad<="20010703" or @rlad<="20010703") not ((debug near8 kernel) and (interface adj2 card) and message)) not Hewlett. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:03
S64	1	((debug\$5 near8 kernel) and (interface adj2 card) and message) and (@ad<="20010703" or @rlad<="20010703") not ((debug near8 kernel) and (interface adj2 card) and message)) not (((debug\$5 near8 kernel) and (interface adj2 card) and message) and (@ad<="20010703" or @rlad<="20010703") not ((debug near8 kernel) and (interface adj2 card) and message)) not Hewlett. as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:03
S65	4	"5611044".URPN.	USPAT	OR	ON	2004/06/15 16:04
S66	3	(debug near8 kernel) and (interface adj2 card) and message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:37
S67	74	"5867714".URPN.	USPAT	OR	ON	2004/06/15 16:37
S68	1	("5867714".URPN. and (interface adj3 (unit or module or card or board))) and ("5867714".URPN. and network and ((test\$4 or debug\$4) same (kernel or 'operating system')))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:40

S69	15	"5867714".URPN. and (interface adj3 (unit or module or card or board))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:46
S70	356	(debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:48
S71	12513	NIC or "network interface card"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:59
S72	99	(NIC or "network interface card") and ((server or remote\$3 or kernel) near3 debug\$4) and (interface adj2 (card or module or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:52
S73	2	((debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)) and ((NIC or "network interface card") and ((server or remote\$3 or kernel) near3 debug\$4) and (interface adj2 (card or module or unit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:58
S74	3	("5548731" "5721876" "6148336" "2001/0027496").PN.	USPAT	OR	ON	2004/06/15 16:54
S75	7	"5867714".URPN. and network and ((test\$4 or debug\$4) same (kernel or 'operating system'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:57
S76	78	((debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)) and debug\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:58
S77	15	((debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)) and debug\$5) and network and (interface adj2 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:59

S78	12	(((((debug5 near5 (command or instruction)) and kernel.ab. or kernel.clm. and (network same protocol)) and debug\$5) and network and (interface adj2 card)) and (@ad<="20010703" or @rlad<="20010703")) and (transport or protocol or message or TCP/IP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:07
S79	17	(kernel same debug\$5).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:08
S80	13	((kernel same debug\$5).ti.) and (@ad<="20010703" or @rlad<="20010703"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:34
S81	2	(((((kernel same debug\$5).ti.) and (@ad<="20010703" or @rlad<="20010703")) and ((network adj interface) near2 card) or ((protocol or TCP/IP) near2 stack) or (message near5 (communicat\$6 or transmi\$6 or rout\$4 or deliver\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:10
S82	11	(((((kernel same debug\$5).ti.) and (@ad<="20010703" or @rlad<="20010703")) not (((kernel same debug\$5).ti.) and (@ad<="20010703" or @rlad<="20010703")) and ((network adj interface) near2 card) or ((protocol or TCP/IP) near2 stack) or (message near5 (communicat\$6 or transmi\$6 or rout\$4 or deliver\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:15
S83	11	(((((kernel same debug\$5).ti.) and (@ad<="20010703" or @rlad<="20010703")) and (debug\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:23
S84	13	(US-6243753-\$ or US-6334153-\$ or US-6411616-\$ or US-6675218-\$ or US-6052803-\$ or US-6118768-\$ or US-5537550-\$ or US-5611044-\$ or US-5867714-\$ or US-5935262-\$).did. or (US-20020152305-\$ or US-20020156613-\$ or US-20020194389-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/06/16 11:27

S85	1	((US-6243753-\$ or US-6334153-\$ or US-6411616-\$ or US-6675218-\$ or US-6052803-\$ or US-6118768-\$ or US-5537550-\$ or US-5611044-\$ or US-5867714-\$ or US-5935262-\$).did. or (US-20020152305-\$ or US-20020156613-\$ or US-20020194389-\$).did.) and ((debug\$5 same message) or debug\$4.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:32
S86	1	((US-6243753-\$ or US-6334153-\$ or US-6411616-\$ or US-6675218-\$ or US-6052803-\$ or US-6118768-\$ or US-5537550-\$ or US-5611044-\$ or US-5867714-\$ or US-5935262-\$).did. or (US-20020152305-\$ or US-20020156613-\$ or US-20020194389-\$).did.) and (Jackson or Jagtap or Qiu).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:34
S87	17	(information near2 management).clm. and (Jackson or Jagtap or Qiu).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:34
S88	15	((information near2 management).clm. and (Jackson or Jagtap or Qiu).in.) and (@ad<="20010703" or @rlad<="20010703")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:38
S89	2	((information near2 management).clm. and (Jackson or Jagtap or Qiu).in.) and (@ad<="20010703" or @rlad<="20010703")) and (debug\$4 same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 11:38
S13 9	126	((network adj interface) near3 (circuit or card or device)) same ((debug\$6 or "protocol stack") and implement\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:15
S14 0	2	S139 and (debug\$6).ab. and (interface near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:02
S14 1	2	S139 and (@ad<="20010703" or @rlad<="20010703") and debug\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:06

S14 2	7	S139 and (@ad<="20010703" or @rlad<="20010703") and (debug\$5 same controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:11
S14 3	3108	(NIC or (network adj3 card)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:11
S14 4	2	S139 and (@ad<="20010703" or @rlad<="20010703") and (debug\$5 same controller) and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:00
S14 5	10	(@ad<="20010703" or @rlad<="20010703") and (debug\$5 same controller) and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:12
S14 6	198	("network interface card").clm. and S143	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:14
S14 7	144	(@ad<="20010703" or @rlad<="20010703") and S146	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:13
S14 8	7	S147 and debug and message and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:19
S14 9	2	S147 and debug and message and (server same NIC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:10
S15 0	753	("709"/\$ and "370"/\$) and (interface adj3 card) and (protocol same (stack or implement\$4)) and (message or debug\$6 or transcod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:13
S15 1	44	S143 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:49

S15 2	41	(@ad<="20010703" or @rlad<="20010703") and S151	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:15
S15 3	210	("network interface card") same (protocol adj3 stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:15
S15 4	154	(@ad<="20010703" or @rlad<="20010703") and S153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:49
S15 5	60	S139 and S154	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:16
S15 6	8	S152 and S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:16
S15 7	67	S153 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:49
S15 8	29	(@ad<="20010703" or @rlad<="20010703") and S157 and message and (debug\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:03
S15 9	29	(S151 or S154 or S147) and S158	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:53
S16 0	34	(remote near6 debug near6 (command or message or request or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:04
S16 1	10	debug\$5 same (server near9 kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:01

S16 2	2	S161 and (interface near3 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:00
S16 3	80	(debug\$5 same kernel) and (interface near4 card) and (remote or protocol or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:02
S16 4	21	(@ad<="20010703" or @rlad<="20010703") and S163 and "TCP/IP"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:29
S16 5	2	((interface adj4 card) same transcod\$5) and (debug same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:08
S16 6	2	S164 and (debug same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:28
S16 7	40	(US-20020019891-\$ or US-20020133593-\$ or US-20020152305-\$ or US-20020156613-\$ or US-20020174227-\$ or US-20020194389-\$ or US-20030005417-\$ or US-20040064764-\$ or US-20030028643-\$).did. or (US-4993027-\$ or US-5537550-\$ or US-5611044-\$ or US-5630049-\$ or US-5721876-\$ or US-5867714-\$ or US-5889988-\$ or US-5909544-\$ or US-5911059-\$ or US-5935262-\$ or US-5978902-\$ or US-6052803-\$ or US-6118768-\$ or US-6131163-\$ or US-6158045-\$ or US-6209089-\$ or US-6243753-\$ or US-6324683-\$ or US-6334153-\$ or US-6370660-\$ or US-6404861-\$ or US-6411616-\$ or US-6601184-\$ or US-6658600-\$ or US-6675218-\$ or US-6694510-\$).did. or (US-6427173-\$ or US-6757744-\$ or US-6816963-\$ or US-6681282-\$).did. or (US-4993027-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2004/12/27 16:21

S16 8	1	S167 and (interface adj2 card) and kernel and debug and ((protocol or TCP/IP or ISO) near4 stack) and message and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:25
S16 9	44	("709"/\$ or "370"/\$) and (interface adj2 card) and kernel and debug and ((protocol or TCP/IP or ISO) near4 stack) and message and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:24
S17 0	2	(message same debug) and S169	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:27
S17 1	3	(interface adj2 card) same (debug same message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:29
S17 2	6	(debug\$4 same server).ab. and ("operating system" same kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:52
S17 3	2	S172 and message and protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/08 15:52
S17 4	4	("6011920").URPN.	USPAT	OR	ON	2005/06/08 15:57
S17 6	4	S174 and message	USPAT	OR	ON	2005/06/08 15:57
S17 7	2	S176 and (protocol TCP)	USPAT	OR	ON	2005/06/08 15:57
S17 8	882	(network adj card) same (protocol stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:59
S17 9	75	(network adj card) same (protocol adj stack)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 14:59
S18 0	0	S179 and (card same (debug\$5 near5 message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:00

S18 1	0	S179 and (interface same (debug\$5 near5 message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:00
S18 2	28	S179 and (interface and (debug\$5 and message))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:00
S18 3	20	(@ad<="20010703" or @rlad<="20010703") and S182	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:02
S18 4	0	S183 and (message same debug\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:01
S18 5	2	S183 and (debug\$4 test\$4 diagnos\$5).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:04
S18 6	2	"6678746".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 15:04